

☐ Generate Collection

L1: Entry 5 of 6

File: DWPI

Mar 1, 1974

DERWENT-ACC-NO: 1974-22884V

DERWENT-WEEK: 197413

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Self-supporting varnish layer - of polyurethane formed from branched poly-ester and aliphatic triisocyanate

PATENT-ASSIGNEE:

ASSIGNEE

CODE

BEIERSDORF AG

BEIE

PRIORITY-DATA: 1972DE-0041096 (November 9, 1972)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
BE 807147 A	March 1, 1974		000	
AT 7309319 A	April 15, 1975		000	
CH 579626 A	September 15, 1976		000	
FR 2206365 A	July 12, 1974		000	
NL 7314783 A	May 13, 1974		000	

INT-CL (IPC): B32B 27/40; C08G 18/06; C08J 5/18; C09D 3/72; C09D 5/20; C09G 0/00

ABSTRACTED-PUB-NO: BE 807147A

BASIC-ABSTRACT:

A self-supporting polyurethane varnish layer is formed by a branched polyester contg. Oh gps. with an aliphatic, trifunctional isocyanate used in an amt. which is 10% less than the equivalent amt. of OH gps. and applying the mixt. on a siliconised auxiliary inert support. The mixture is dried and cured and the auxiliary support removed. Pref. the varnish is coated with an adhesive.

TITLE-TERMS: SELF SUPPORT VARNISH LAYER POLYURETHANE FORMING BRANCH POLY ESTER ALIPHATIC

DERWENT-CLASS: A25 A82 G02 P73

CPI-CODES: A05-G02; A12-B01B; G02-A02H;

Multipunch Codes: 012 032 038 04- 074 081 150 157 174 207 209 212 229 239 305 308
344 346 359 402 408 409 443 473 477 575 596 597 600 609 654 656